



张强，清华大学长聘教授，从事能源材料研究，尤其是金属锂、锂硫电池和电催化的研究。曾获得国家自然科学基金杰出青年基金、中组部万人计划青年拔尖人才、英国皇家学会 Newton Advanced Fellowship、2017-2018 年科睿唯安全球高被引科学家。

担任国际期刊 *J Energy Chem* 编辑、*Adv Funct Mater*、*Adv Mater Interfaces*、*Matter*、*EnergyChem*、*Sci China Mater*、*Sci China Chem*、*Philos Trans A* 等期刊编委。主持国家重点研发计划课题、自然科学基金、教育部博士点基金、北京市科委重点项目等。担任 *Nature Energy*、*Nature Nanotech*、*Nature Catal*、*Sci. Adv.*、*JACS*、*Adv. Mater.*、*Angew. Chem.* 等期刊特约审稿人或仲裁人。

以第一作者/通讯作者在 *Adv. Mater.*、*J. Am. Chem. Soc.*、*Angew. Chem. Int. Ed.*、*Nature Commun.*、*Sci. Adv.*、*Chem* 等发表 SCI 收录论文 200 余篇；所发论文引用 23000 余次，h 因子为 83，61 篇为 ESI 高引用学术论文。

高安全电池中的金属锂保护

Li Metal Anode Protection in Safe Batteries

Qiang Zhang*

Beijing Key Laboratory of Green Chemical Reaction Engineering and Technology,
Department of Chemical Engineering, Tsinghua University, Beijing, 100084

*zhang-qiang@mails.tsinghua.edu.cn Phone +86 (10) 6278-9041,

<http://www.researcherid.com/rid/B-1799-2012>

Li metal is considered as the “Holy Grail” of energy storage systems. The bright prospects give rise to worldwide interests in the metallic Li for the next generation energy storage systems, including highly considered rechargeable metallic Li batteries such as Li-O₂ and Li-sulfur (Li-S) batteries. However, the formation of Li dendrites induced by inhomogeneous distribution of current density on the Li metal anode and the concentration gradient of Li ions at the electrolyte/electrode interface is a crucial issue that hinders the practical demonstration of high-energy-density metallic Li batteries.

In this talk, we review energy chemistry of lithium metal anode in safe batteries. Firstly, the importance and dilemma of Li metal anode issues in lithium–sulfur batteries are underscored, aiming to arouse the attentions to Li metal anode protection. Specific attentions are paid to the surface chemistry of Li metal anode. Next, the proposed strategies to stabilize solid electrolyte interface and protect Li metal anode are included. Finally, a general conclusion and a perspective on the current limitations, as well as recommended future research directions of Li metal anode in rechargeable batteries are presented.

References

- [1] Cheng XB, Zhang R, Zhao CZ, Zhang Q*. *Chemical Reviews* 2017, 117, 10403–10473.
- [2] Cheng XB, Huang JQ, Zhang Q*. *Journal of the Electrochemical Society* 2018, 165, A6058-A6072.
- [3] Chen X, Shen X, Li B, Peng HJ, Cheng XB, Li BQ, Zhang XQ, Huang JQ, Zhang Q*. *Angewandte Chemie International Edition* 2018, 57, 734-737
- [4] Zhang XQ, Chen X, Cheng XB, Li BQ, Shen X, Yan C, Huang JQ, Zhang Q*. *Angewandte Chemie International Edition* 2018, 57, 5301-5305
- [5] Zhang R, Chen XR, Chen X, Cheng XB, Zhang XQ, Yan C, Zhang Q*. *Angewandte Chemie International Edition* 2017, 56, 7764–7768
- [6] Peng HJ, Huang JQ, Liu XY, Cheng XB, Xu WT, Zhao CZ, Wei F, Zhang Q*. *Journal of the American Chemical Society* 2017, 139 (25), 8458–8466.

- [7] Chen X, Hou TZ, Li B, Zhu L, Yan C, Cheng XB, Peng HJ, Huang JQ, Zhang Q*. *Energy Storage Materials* 2017, 8, 194-201.
- [8] Cheng XB, Yan C, Chen X, Guan C, Huang JQ, Peng HJ, Zhang R, Yang ST, Zhang Q*. *Chem* 2017, 2, 258-270.
- [9] Zhang XQ, Cheng XB, Chen X, Yan C, Zhang Q*. *Advanced Functional Materials* 2017, 27, 1605989.
- [10] Zhao CZ, Cheng XB, Zhang R, Peng HJ, Huang JQ, Ran R, Huang ZH, Wei F, Zhang Q*. *Energy Storage Materials* 2016, 3, 77-84.
- [11] Cheng XB, Hou TZ, Zhang R, Peng HJ, Zhao CZ, Huang JQ, Zhang Q*. *Advanced Materials* 2016, 28, 2888-2895.
- [12] Zhang R, Cheng XB, Zhao CZ, Peng HJ, Shi JL, Huang JQ, Wang JF, Wei F, Zhang Q*. *Advanced Materials* 2016, 28, 2155-2162.
- [13] Cheng XB, Zhang R, Zhao CZ, Wei F, Zhang JG, Zhang Q*. *Advanced Science* 2016, 3, 1500213.
- [14] Cheng XB, Peng HJ, Huang JQ, Zhang R, Zhao CZ, Zhang Q*. *ACS Nano* 2015, 9(6), 6373–6382.
- [15] Cheng XB, Huang JQ, Peng HJ, Wei F, Zhang Q*. *Small* 2014, 10(21), 4257-4263.